

## CONTENTS

Preface	9
Preface to first edition	10
1. Adonis vernalis	13
2. Aletris farinosa	15
3. Alfalfa	16
4. Alstonia scholaris	17
5. Amygdalus persica	18
6. Aralia racemosa	19
7. Arnica montana	20
8. Aspidosperma	23
9. Avena sativa	24
10. Baptisia tinctoria	26
11. Bellis perennis	28
12. Berberis aquifolium	30
13. Berberis vulgaris	31

14. <i>Cactus grandiflorus</i>	33
15. <i>Calendula officinalis</i>	35
16. <i>Cascara sagrada</i>	36
17. <i>Castanea vesca</i>	37
18. <i>Caulophyllum thalictroides</i>	38
19. <i>Chelidonium majus</i>	40
20. <i>Chionanthus virginica</i>	41
21. <i>Cinchona officinalis</i>	42
22. <i>Coca</i>	43
23. <i>Condurango</i>	45
24. <i>Crataegus oxyacantha</i>	47
25. <i>Damiana</i>	49
26. <i>Digitalis purpurea</i>	50
27. <i>Dioscorea villosa</i>	53
28. <i>Echinacea angustifolia</i>	55
29. <i>Epigea repens</i>	57
30. <i>Equisetum hyemale</i>	58

31. Erigeron canadense	60
32. Eriodictyon glutinosum	62
33. Eucalyptus globulus	64
34. Fabiana imbricata	67
35. Filix mas	68
36. Fraxinus americana	69
37. Fucus vesiculosus	70
38. Galium aparine	71
39. Gaultheria procumbens	72
40. Geranium maculatum	73
41. Gossypium herbaceum	75
42. Granatum	76
43. Grindelia robusta	77
44. Guaiacum	79
45. Gymnocladus	81
46. Hamamelis virginica	82
47. Helonias dioica	85

48. <i>Hydrangea arborescens</i>	87
49. <i>Hypericum</i>	88
50. <i>Iberis amara</i>	90
51. <i>Ipecacuanha</i>	92
52. <i>Jacaranda caroba</i>	94
53. <i>Juglans cinerea</i>	95
54. <i>Juniperus communis</i>	97
55. <i>Kalmia latifolia</i>	98
56. <i>Lactuca virosa</i>	100
57. <i>Laurocerasus</i>	102
58. <i>Leptandra</i>	104
59. <i>Lobelia inflata</i>	106
60. <i>Medicago sativa</i>	108
61. <i>Mentha piperita</i>	110
62. <i>Millefolium</i>	111
63. <i>Mitchella repens</i>	112
64. <i>Momordica balsamina</i>	114

65. <i>Myrica cerifera</i>	115
66. <i>Nuphar luteum</i>	117
67. <i>Nymphaea odorata</i>	118
68. <i>Ornithogalum umbellatum</i>	120
69. <i>Pareira brava</i>	121
70. <i>Passiflora incarnata</i>	122
71. <i>Phytolacca decandra</i>	124
72. <i>Piper methysticum</i>	125
73. <i>Plantago major</i>	126
74. <i>Polygonum punctatum</i>	127
75. <i>Populus candicans</i>	128
76. <i>Pothos foetidus</i>	129
77. <i>Quassia amara</i>	130
78. <i>Quercus glandium spiritus</i>	132
79. <i>Quillaya saponaria</i>	134
80. <i>Ranunculus bulbosus</i>	135
81. <i>Rhus aromatica</i>	136

82. Ricinus communis	138
83. Ruta graveolens	139
84. Sabal serrulata	141
85. Sambucus nigra	143
86. Sanguinaria canadensis	144
87. Senega	145
88. Solidago virga	147
89. Spongia tosta	149
90. Sterculia acuminata	151
91. Strophanthus hispidus	152
92. Symphytum	154
93. Tanacetum vulgare	156
94. Taraxacum	157
95. Trillium pendulum	158
96. Urtica urens	160
97. Ustilago maydis	162
98. Uva ursi	164

99. Valeriana officinalis	165
100. Verbascum thapsus	167
101. Verbena hastata	169
102. Viburnum opulus	170
103. Viburnum prunifolium	172
104. Viscum album	174
105. Wyethia helenoides	176
106. Xanthoxylum fraxineum	177
107. Yohimbinum	178
108. Yucca filamentosa	180
109. Zingiber officinalis	181
Index of clinical action	182

## Adonis vernalis

**Common name** - Pheasant's eye.

**Natural order** - Ranunculaceae

**Habitat** - Asia, Europe

**Action** - It is a *cardiac stimulant and diuretic*. By its direct action upon heart *it increases its rate, force and blood pressure*. It diminishes the frequency of pulse and increases the force of cardiac contraction.

**Clinical conditions** - Heart affections, urinary conditions.

### **Indications** -

#### A) **Heart affections**

1. Mitral and aortic regurgitation, when there is praecordial pain with throbbing of blood-vessels and headache, palpitation, and dyspnoea.

2. Cases of aortic regurgitation due to traumatic rupture of the valve, and chronic aortitis, or when aortic regurgitation has arisen independently of rheumatic endocarditis.



3. Pulse is rapid and irregular.
4. Heart affections after rheumatism or influenza ; muscles of heart are in stage of fatty degeneration.
5. Cardiac dropsy; hydrothorax, ascites, and anasarca dependent upon a chronic dilatation of heart or valvular disease.
6. Indicated when there is failing or broken cardiac compensation.

***Comment*** - *Notwithstanding its prompt and energetic action, this remedy may be administered in pathological conditions where Digitalis, if given at all, should be administered only with utmost care (Blackwood).*

#### **B) Urinary complaints**

1. Urine is scanty, albuminous; urea is deficient.
2. Oily pellicle on urine.
3. Cardiac problems where kidney function is interfered; cardiac dropsy, anasarca.
4. Its diuretic action influences the oedematous conditions and produces diuresis, especially when the heart failure is

secondary to disease of the kidneys.

**Dose** - 5 to 10 drops of tincture (Boericke).

.....

## **Arnica montana**

**Common name** - Leopard's bane

**Natural order** - Compositae

**Habitat** - Northern  
hemisphere

**Clinical conditions** - Injuries

**Indications** -

### A) Injuries

1. Used locally in injuries.
2. Mechanical injuries, strains, sprains, wrenching of muscles where skin is intact.
3. Limbs and body ache as if beaten; joints as is sprained; sore, lame, bruised feeling.
4. Bruises, ecchymosis; bleeding after tooth extraction.

### B) Other uses/indications

1. Can also be used as mouthwash in oral sepsis.
2. For massage in arthritis and backache.

**Dose** - As a local applicant.

**Note** - *Locally, tincture should never be applied hot or at all when abrasions or cuts are present(Boericke).*

.....

## **Juniperus communis**

**Common name** - Juniper berries

**Natural order** - Coniferae

**Habitat** - America

**Clinical conditions** - Renal troubles, dropsy

### **Indications -**

#### **A) Dropsy**

1. Dropsy with suppression of urine.
2. Dropsy due to renal causes.

#### **B) Renal troubles**

1. Catarrhal inflammation of kidneys.
2. Scanty secretion of urine; urine may be bloody having violet odour
3. Chronic pyelitis; strangury.

4. Sensation of weight in kidneys.

**Dose** - One to ten drops (Boericke).

.....

## **Lobelia inflata**

**Common name** - Indian tobacco

**Natural order** - Lobeliaceae

**Habitat** - United States

**Action** - It is a vasomotor stimulant. In toxic doses it produces paralysis of the motor-nerve trunks, respiratory and vasomotor centres.

**Clinical conditions**-Asthma, cough

**Indications**-

**A) Asthma/respiratory complaints**

1. Dyspnoea from constriction of chest; sensation of pressure or weight in chest; seems that blood is rushing to chest.
2. Complaints are worse from any exertion and better by walking rapidly.
3. Spasmodic asthma with severe dyspnoea; asthmatic attacks with weakness which is felt in pit of stomach and is preceded by pricking all over.
4. Useful in emphysema of the aged.

**B) Other indications/uses**

1. It has found useful in gastric complaints especially those of alcoholics.

**Dose** - Physiological:1 drop ; maximum:40 drops.

**Note** - *In small doses it causes spasms and constrictions of bronchi (Blackwood).*

.....

## **Nymphaea odorata**

**Common name** - White pond lily

**Natural order** - Nymphaeaceae

**Habitat** - United States

**Clinical conditions** - Catarrhal fever

### **Indications -**

1. Headache through temples with severe coryza and feeling of dullness.
2. Throat is sore; degulgitation painful.
3. Pain in limbs and back.

**Potency** - Also useful in 3X.

.....

## **Solidago virga**

**Common name** - Golden rod

**Natural order** - Compositae

**Habitat** - Asia, Europe,  
United States

**Clinical conditions** - Renal colic, dysuria, bronchitis

**Indications** -

### **A) Renal complaints**

1. Pain in kidneys, with dysuria; pains extend forward to abdomen and bladder; kidneys sensitive to pressure.
2. Urine scanty, reddish-brown, with thick sediment, and gravel; urine may also contain albumen, and blood.
3. Difficult urination; at times there is clear and offensive urine.



## B) Bronchitis/respiratory complaints

1. Naso-pharyngeal catarrh; bronchitis.
2. Cough with much purulent expectoration; expectoration may be blood streaked.
3. Oppressed breathing; continuous dyspnoea; asthma, with nightly dysuria.

**Dose** - Physiological:1 drop ; maximum:20 drops.

**Note** - 15 drops doses to promote expectoration in bronchitis and bronchial asthma in old people (Boericke).

...

## Viburnum prunifolium

**Common name** - Black haw

**Natural order** - Caprifoliaceae

**Habitat** - United States

**Action** - It produces nausea, vomiting, and contraction of uterine muscles; when retained it acts as tonic, antispasmodic and nerve-sedative.

**Note** - *It depresses heart's action, and lessens the arterial tension.*

**Caution** - *In high doses can cause paralysis of heart.*

**Clinical conditions** - Threatened miscarriage, habitual abortion, menstrual irregularities, morning sickness, labour and post partum haemorrhage

**Indications** -

1. Scanty menses with severe, expulsive menstrual pain; dysmenorrhoea.
2. A.L.Blackwood writes, "This medicine is employed to prepare women for labour, and is said to facilitate labour, to control after pain, prevent postpartum haemorrhage and assist normal involution of the uterus."
3. Bearing down after-pains; false pains of pregnancy.
4. Helps in morning sickness and premenstrual

disturbances.

**Dose** - Small doses for short durations (because of its depressive action on heart).

.....

## **Yucca filamentosa**

**Common name** - Bear grass

**Natural order** - Liliaceae

**Habitat** - United states

**Clinical conditions** - Hepatic troubles, balanitis.

**Indications** -

A) **Hepatic troubles**

1. Bilious symptoms; hepatic congestion.

2. Face is yellow; tongue has yellow coating with imprint of teeth.

3. Pain through upper portion of the liver to the back.

4. Stools contain much bile; yellowish brown in colour; diarrhoeaic stools.

#### B) **Balanitis**

1. Burning and swelling of perpuce, with redness and irritation of meatus.

2. Also useful in gonorrhoea.

**Dose**-Physiological:1 drop : maximum:10 drops.

.....

## **Index of Clinical Action**

Mother tinctures have a definite therapeutic action by which

they produce a specific clinical result. In this chapter a repertory of clinical action of mother tinctures is given below.

<b>Clinical action</b>	<b>Medicines</b>
<b>Antihelmenthic</b>	Tanacetum, Valeriana.
<b>Anti-periodic</b>	Eucalyptus.
.....	
<b>Tonic</b>	Avena-s, Geranium-m, Medicago-s.